

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	181	((irreversib\$3 or (non near2 reversib\$3) or otp or (one near2 time near3 programm \$5))) same ((protection or lock or security) near3 (bit or code)) and (chip or (micro near3 (chip or processor)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/28 16:37
S5	178	((irreversib\$3 or (non near2 reversib\$3) or otp or (one near2 time near3 programm \$5))) same ((protection or lock or security) near3 (bit or code)) and (chip or (micro near3 (chip or processor))) and (@ad<"20021127" or @rlad<"20021127")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/28 16:38
S6	178	((irreversib\$3 or (non near2 reversib\$3) or otp or (one near2 time near3 programm \$5))) same ((protection or lock or security) near3 (bit or code)) and (chip or (micro near3 (chip or processor))) and (test near2 (program or code)) and (@ad<"20021127" or @rlad<"20021127")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/28 16:39
S7	178	((irreversib\$3 or (non near2 reversib\$3) or otp or (one near2 time near3 programm \$5))) same ((protection or lock or security) near3 (bit or code))) and (chip or (micro near3 (chip or processor))) and (test near2 (program or code)) and (@ad<"20021127" or @rlad<"20021127")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/28 16:40

S8	140	((irreversib\$3 or (non near2 reversib\$3) or (one near2 time near3 programm\$5))) same ((protection or lock or security) near3 (bit or code))) and (chip or (micro near3 (chip or processor)) and (test near2 (program or code)) and (@ad<"20021127" or @rlad<"20021127"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/28 16:40
S9	85	((irreversib\$3 or (non near2 reversib\$3) or (one near2 time near3 programm\$5))) same ((protection or lock or security) near3 (bit))) and (chip or (micro near3 (chip or processor)) and (test near2 (program or code)) and (@ad<"20021127" or @rlad<"20021127"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/28 16:40
S10	22	((irreversib\$3 or (non near2 reversib\$3) or (one near2 time near3 programm\$5))) near5 ((protection or lock or security) near3 (bit))) and (chip or (micro near3 (chip or processor)) and (test near2 (program or code)) and (@ad<"20021127" or @rlad<"20021127"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/28 16:41
S11	171	((irreversib\$3 or (non near2 reversib\$3) or otp or (one near2 time near3 programmable))) same ((protection or lock or security) near3 (bit or code))) and (chip or (micro near3 (chip or processor)) and (test near2 (program or code)) and (@ad<"20021127" or @rlad<"20021127"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/28 16:44
S12	0	((irreversib\$3 or (non near2 reversib\$3) or (one near2 time near3 programmable))) near5 ((protection or lock or security) near3 bit) and (chip or (micro near3 (chip or processor))) and (test near2 (program or code)) and (@ad<"20021127" or @rlad<"20021127"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/28 16:46

S13	0	((irreversib\$3 or (non near2 reversib\$3) or (one near2 time near3 programmable))) same ((protection or lock or security) near3 bit) and (chip or (micro near3 (chip or processor))) and (test near2 (program or code)) and (@ad<"20021127" or @rlad<"20021127"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/28 16:46
S14	19	((irreversib\$3 or (non near2 reversib\$3) or (one near2 time near3 programmable))) and ((protection or lock or security) near3 bit) and (chip or (micro near3 (chip or processor))) and (test near2 (program or code)) and (@ad<"20021127" or @rlad<"20021127"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/28 16:46
S15	19	((irreversib\$3 or (non near2 reversib\$3) or (one near2 time near3 programmable) or otp)) and ((protection or lock or security) near3 bit) and (chip or (micro near3 (chip or processor))) and (test near2 (program or code)) and (@ad<"20021127" or @rlad<"20021127"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/28 21:03
S16	36	((irreversib\$3 or (non near2 reversib\$3) or (one near2 time near3 programmable) or otp)) and ((protection or lock or security) near3 bit) and (chip or (micro near3 (chip or processor))) and (test near2 (program or code or port)) and (@ad<"20021127" or @rlad<"20021127"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/28 21:03
S17	8	((irreversib\$3 or (non near2 reversib\$3))) and ((protection or lock or security) near3 bit) and (chip or (micro near3 (chip or processor))) and (test near2 (program or code or port)) and (@ad<"20021127" or @rlad<"20021127"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/28 21:06

S18	57	((irreversib\$3 or (non near2 reversib\$3))) and ((protection or lock or security) near3 bit) and (chip or (micro near3 (chip or processor))) and (@ad<"20021127" or @rlad<"20021127"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/28 21:07
S19	2	((irreversib\$3 or (non near2 reversib\$3))) and ((protection or lock or security) near3 bit) same (chip or (micro near3 (chip or processor))) and (@ad<"20021127" or @rlad<"20021127"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/03/28 21:07

**EAST Search History (Interference)**

&lt; This search history is empty &gt;

**4/ 5/ 2011 11:17:50 PM****C:\Documents and Settings\iokeke\My Documents\ EAST\ Workspaces\ 10536732.wsp**